July 27, 2023 Meidensha Corporation

To members of the media

Meiden receives first order for its IoT-based motor analysis/remote monitoring system from Mitsui Sumitomo Insurance

~One-stop service also to be provided on a subscription basis~

Meidensha Corporation (Meiden) has received the first order for its IoT-based motor analysis/remote monitoring system, which recently went on sale, from Mitsui Sumitomo Insurance Co., Ltd. Meiden will provide a remote monitoring system for a cooling water circulation pump.

The system was jointly developed by Meiden and Elmodis Sp.zo.o., a Polish startup in which Meiden holds a minority stake. By merging the startup's analytical and monitoring technologies that are being used in European and American pumping facilities and Meiden's knowhow in the motor business, Meiden has been able to customize the new service for use by Japanese clients.

The system enables Meiden to offer an excellent service that combines the two functions of "facility analysis" and "carbon dioxide (CO_2) /energy management." It is capable of monitoring electrical signals (current and voltage) of motors; oscillation of motors and machines; and various process data to quantify the health of a facility (the diagram on the left below shows an example of the circuit structure in a remote monitoring system). Since it monitors three-phase electrical current and voltage, the system is capable of monitoring power consumption and CO_2 emissions in real time and more accurately than systems that monitor only one-phase electrical current. It can also inform conditions for operating machines at high efficiency and make simulations on how much power consumption and CO_2 emissions can be reduced if the machine is operated under the suggested conditions. Meiden will offer a one-stop service on a subscription basis to provide analyses and remote monitoring to ensure operational optimization and make CO_2 emission calculations at clients' facilities after the system is installed.

Technologies related to reducing CO₂ emissions and more effective use of energy have attracted attention in recent years against the backdrop of companies' growing need to reduce the environmental impact of their activities. Mitsui Sumitomo Insurance's new headquarters building in Surugadai, where the system will be installed, has received high marks as one of the nation's top eco-friendly structures, thanks to its introduction of solar power generation and energy-saving designs. The company decided to install Meiden's system with the aim of further promoting environmentally conscious management.

<Highly evaluated functions and services>

1. Visualization of power consumption and CO₂ emissions of a single motor in the past, present and future

	Simulation Report Location	on. Hall 1 Machine					Report Westere
Language 📕	8						0 ©
eport type		Simulation Parameters				Results	
Simulation	Simulation description	Simulation or 1		0.4162023 31422023			
	Power Imit	1000 (kW)		0			(
	Constact start date	1/01/2023					
	Contract finish date	31/12/2023					
	Annual energy limit	2100 [MWh]					
	Annual Cost limit	S00k (pln)		4921 Mark	200	5486 wh	
		Today	ars.		And	'n	
	155 75		АР% 	55 55 555	4002220 Apr 2020		100
	зэх. ²³⁵ рь ²³⁵ Эрг 180712 рь	леку 2013 458714 рл	ATS	а ск. 2003 747К 1996	400 2013	1948K 1001	
	50%. 100 100 100 100 100 100 100 10	A 2001	Аль Со. 1021 — Аль 2004	or Lar 2023 Attual livergy (uncompared in	Apr 2022 Apr 2022	Mariana Ceri 1948K kan reconnection	
	20%	heler ASSE714 gsn Prestares (are (bit) Cost analysis Total	474 474 474 474 474 474 474 474 474 474	or Market State And Grand Carbon State And Grand Carbon State	Apr 2022 Apr 2022 Total Ener	Aut 2023 Oct 2 1948K kan estate Deny Columption gy Consumption	
	22% 20% 20% 20% 20% 20% 20% 20%	hing and a second secon	an and an and an an and an	e MAMM Ci to 2021 247K tan Antor langs (sources) 258K 158K 158K	Apr 2022 Total Ener -Daily Dangy Com	* Construction of the second s	2007 Storage text

116/00 179645 122276 191355 181725 540411 127947 14680 186755 185683 127947 14686 185755 185784 20464 137784 121198 157874 121198 157874 121198 157874 121665 15591 126665 15591 1033389 1048745 973857 973857 929786 855249 715034 541018 536794 108022 142574 152795 1425745 157795 142542 117283 87394 83334 176558 174964 146506 152839 152839 152839 152839 152839 152839 152839 153859 182922 128075 127548 50090 177295 105476 105476 105475 207049 254658 145683 142662 123250

Trends in the total power consumption of the devices being measured.

Trend of power consumption by device being measured. Representation of which devices

consuming how much power.

are

Possible to predict and display future power consumption trends based on past trends.

2. Making suggestions to realize effective operations by analyzing the difference

between the efficiency curve of a pump and the measured data

	The average states								5.0458 o	14											
	- Aw																				
		-	1.	11	_								Perrok	dor							
			/ 💋										1899 1949 - 2007							4	2
		/						10					Acres Acres 4		129	* **				4	
	<u>1</u> '	2/18							E.				ACREA IN	Aug	~	57				0	
	2	P 1 /		_					E.				**** Sec		23	24					
	and the second			1.23									**		10	(terine				e	
				i if which				- 23	1												
				= 100	a la caracteria			- 14													
$ \begin{array}{c} \text{Let} & Le$																					
NN SPINIA SPINIA SPINIA SPINIA NO 1	ired				[messes]	S Saue							@ RIW								
OPEN PARTY	i frođ Na				(man-	in Section 2	-						S RIN The factor	8,-14							
Norm Norm <th< td=""><td>Tood No.</td><td></td><td></td><td></td><td>[/www.atv.,</td><td>States States</td><td>~</td><td></td><td></td><td></td><td></td><td></td><td>Carlos a</td><td>2.04 (1997)</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>	Tood No.				[/www.atv.,	States States	~						Carlos a	2.04 (1997)							
	frod No. Other No our renes				14676 201-,	G inter Contract Contract Suppy V:							Active Pro-	3,							
	i feod No Alva De caretes Devoi : Sona Jub	a Desitatio			[mmar,	Suppy 9:	na Lagos Senar Gal	1 Daul					Agenter	3, (a A/C Sec.a		Traducti	1				
	teod Na Issue Terror concernes Terror Source July National Source July	a Desetate			[G Para Sectored Suppy V: Deeref -YBT	ni Daga Dana da	a Daul				_	Active Pro-	a, and dama a MC Securi	Vera 22.5	7s-advill					
	trod ke troarens teroarens teroarens teroarens teroarens teroarens teroarens teroarens teroarens teroarens	a Deutrice 		78	1000 200, 	Suppy V:	ann an 2012 2012 2012 2012 2012 2012 2012 201	a Daul	1849 21	~	10.	-	Active for a	A, and Alexan Alexan Security Security		Tradukt z	•	20	*3	11. A	
а <mark>в с на на</mark> на 120 °° с на на на на 120 °° с на на на на • 121 °° с на на на 120 °° с на 120 °° с на н	frod he train to carenes toroar tots toroar and he tots tots tots tots tots tots tots tot	a Desite Ve	~	79	mean,	 A space 		a Deul 2 4		~	80	~	Agint Print	3, 4, 2,	VIII 1213 US 254 Es						
· · · · · · · · · · · · · · · · · · ·	trod ha to carrors teros base ha har or to to to to to to to to to to to to to	a Destruir 2 - De 2 - De	~		(1969) (1	August SuppyV: SuppyV: Vere Vere		a Deni	1849 211	19 19	¥7	2	Active Providence Prov	Xod (err) Me Me	Vera 213 Los 204 Re 204	71-advell 					n 25
	trad to: the our titles the	a Deside Ve 	~	79	(1988-20), (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2	August August August August SuppyR: SuppyR: Supprese August Supprese August Supervise August August Supervise August Supervise		• Denal 5 • •		~	80 80	~ ~	A FAM The Address Called Ca	A, of Anno 1 Security	900 413 50 50 50 50 50 50 50 50 50 50 50 50 50	Tradedi 		×	-0		5 25 2 59

Expresses the correlation between the design values of the pump pressure and flow curves and plots the actual measured values on top of them. Visualization of the difference between the pump's highest efficiency operating point and the actual measured value announces inefficient operation.

3. Quantification of the health of the facility

Benchmarking	Report Location Li	ne 1) Machine : Fans an	d Pump					Report refresh 17/07/2023
								nng 🐽 Alarm 🕧 🤅
Machine	General condi	tion of the machine	Iondition of bearing machine	s Imbalance		Misalignment	Date	
Fact	a constant of the second secon						6% 15/07/2	023
Part2							16/07/2	523
Fan3					675		82% 15/07/2	223
Fan4					15.		15/07/2	503
Fact	1000						748 16/07/2	123
Pumpt		Des					1455 16/07/2	523
Pump2		295	1. 1		23%		56% 16/07/2	023
Machines		30 days - Ano	maly Detection		Num	er of anomalies Week	change / Change	eduring the month
						Number of anomalies	Test change	Change during the mort
lari	tā lun	Sin		09.14	1614	17	-25%	-50%
						flumber of anomalies	Tiesk change	Change during the mon
Ren2	13 Jun	Sta	12 Jul	09.14	1614		-50%	-71%
						Number of anomalies	Week change	Change during the mon
Pard	1110	A REAL PROPERTY AND INCOME.			7614	*2	0%	0%
						Number of anomalies	Week change	Change during the mon
Fani						28	0%	200%
		23.00	NA 50	05 Jul	16.34	Norther of anomalies	Test change	Ourge during the mor
(an)		States and the states of				12	5006	7504
	12 Jun	25 Jun	62.74	09.14	16.54	And and a state of the state of	20.10	-2.576
						Number of anomalies	litesk change	Change during the mon
Pump1						24	-40%	200%
	18 7.45	25 Jun	62.04	09.14	10 Jul	Number of anomalies	Tiesk change	Change during the mon
Pumpi		NUMBER OF TAXABLE		STELLER LINESPECT		22	-4496	6796
	12.541	25 Jun	62.34	09.14	10.24	- and the second		

By comparing with a preset threshold (danger level), Visualize the degree of health of current pumps and motors.

Meiden plans to provide services to clients for various applications using motors in addition to pumping facilities, while improving the accuracy of the function to quantify the health of a facility in order to provide higher-quality function to predict malfunctions.

The Meiden Group will take on the challenge of create new value in order to help make a future society more affluent and a better place to live.

Press release dated February 18, 2021, titled "Meiden collaborates with a Polish Startup company in IoT remote monitoring and asset optimization"

https://www.meidensha.com/news/news_03/news_03_01/1235810_3190.html